

SECTION 3.5 Indeterminate Forms

IN-SECTION EXERCISES:

EXERCISE 1.

$$\begin{aligned}\lim_{x \rightarrow 1} \frac{3 - 3x}{x - 1} &= \lim_{x \rightarrow 1} \frac{-3(x - 1)}{x - 1} \\ &= \lim_{x \rightarrow 1} (-3) \\ &= -3\end{aligned}$$

EXERCISE 2.

1. The sentence ' $f = g$ ' is being defined. The definition tells us what it means for *functions to be equal*.
2. The symbol ' \iff ' means that the two component sentences being compared always have the same truth values. They are interchangeable.
3. If $g = h$, then we know that $\mathcal{D}(g) = \mathcal{D}(h)$, and $g(x) = h(x)$ for all x in the common domain.
4. You can conclude that $g = h$.
5. The functions f and g are very similar, but they are not identical. By the domain convention, the domain of f is all real numbers except 1. The domain of g is \mathbb{R} . Since the functions have different domains, they are not equal.
6. The functions f and g both have the same domain: all real numbers except 0. And, for $x \neq 0$:

$$\frac{3x}{x^2} = \frac{3}{x}$$

Thus, the functions f and g are equal, i.e., $f = g$.

EXERCISE 3.

1.

$$\begin{aligned}\lim_{x \rightarrow 1} \frac{x^2 + x - 2}{3x^2 - x - 2} &= \lim_{x \rightarrow 1} \frac{(x + 2)(x - 1)}{(x - 1)(3x + 2)} \\ &= \lim_{x \rightarrow 1} \frac{x + 2}{3x + 2} \\ &= \frac{1 + 2}{3(1) + 2} \\ &= \frac{3}{5}\end{aligned}$$

2.

$$\begin{aligned}\lim_{x \rightarrow -2} \frac{x^2 + x - 2}{x^3 - 7x - 6} &= \lim_{x \rightarrow -2} \frac{(x + 2)(x - 1)}{(x + 2)(x^2 - 2x - 3)} \\ &= \lim_{x \rightarrow -2} \frac{x - 1}{x^2 - 2x - 3} \\ &= \frac{-2 - 1}{(-2)^2 - 2(-2) - 3} \\ &= -\frac{3}{5}\end{aligned}$$

$$\begin{array}{r} x^2 - 2x - 3 \\ x + 2 \overline{) x^3 - 7x - 6} \\ \underline{-(x^3 + 2x^2)} \\ -2x^2 - 7x - 6 \\ \underline{-(-2x^2 - 4x)} \\ -3x - 6 \\ \underline{-3x - 6} \\ 0 \end{array}$$

EXERCISE 4.

1.

$$\lim_{x \rightarrow 2} \frac{e^x(x-2)}{2-x} = \lim_{x \rightarrow 2} \frac{-e^x(2-x)}{2-x} = -\lim_{x \rightarrow 2} e^x = e^2$$

2.

$$\frac{xe^x - 2e^x}{2-x} = \frac{e^x(x-2)}{2-x} = \frac{-e^x(2-x)}{2-x} \stackrel{x \neq 2}{=} -e^x$$

EXERCISE 5.

1. Direct substitution yields a $\frac{0}{0}$ situation. Since 1 is a zero of the numerator, $x-1$ is a factor. Long division yields:

$$\begin{array}{r} x^2 + x + 1 \\ x-1 \overline{) x^3 - 1} \\ \underline{-(x^3 - x^2)} \\ x^2 - 1 \\ \underline{-(x^2 - x)} \\ x - 1 \\ \underline{x - 1} \\ 0 \end{array}$$

Then:

$$\begin{aligned} \lim_{x \rightarrow 1} \frac{x^3 - 1}{x - 1} &= \lim_{x \rightarrow 1} \frac{(x-1)(x^2 + x + 1)}{x - 1} \\ &= \lim_{x \rightarrow 1} (x^2 + x + 1) \\ &= 1^2 + 1 + 1 = 3 \end{aligned}$$

2. Direct substitution yields a $\frac{0}{0}$ situation. Since 2 is a zero of the numerator, $x-2$ is a factor. Long division yields:

$$\begin{array}{r} x^2 - 2x - 15 \\ x-2 \overline{) x^3 - 4x^2 - 11x + 30} \\ \underline{-(x^3 - 2x^2)} \\ -2x^2 - 11x + 30 \\ \underline{-(-2x^2 + 4x)} \\ -15x + 30 \\ \underline{-15x + 30} \\ 0 \end{array}$$

Then:

$$\begin{aligned} \lim_{x \rightarrow 2} \frac{x^3 - 4x^2 - 11x + 30}{x - 2} &= \lim_{x \rightarrow 2} \frac{(x-2)(x^2 - 2x - 15)}{x - 2} \\ &= \lim_{x \rightarrow 2} (x^2 - 2x - 15) \\ &= 2^2 - 2(2) - 15 = -15 \end{aligned}$$

EXERCISE 6.

1. The sentence

$$\frac{(x+1)-1}{x(\sqrt{x+1}+1)} = \frac{1}{\sqrt{x+1}+1}$$

is true for *most* values of x ; but it is not true when $x = 0$. When $x = 0$, the expression on the left of the '=' sign is undefined, but the expression on the right is defined, and equals $\frac{1}{\sqrt{0+1}+1} = \frac{1}{2}$. Attention is drawn to this slight difference in the expressions by using a 'restricted equal sign':

$$\frac{(x+1)-1}{x(\sqrt{x+1}+1)} \stackrel{\text{for } x \neq 0}{=} \frac{1}{\sqrt{x+1}+1}$$

2. The sentence

$$\lim_{x \rightarrow 0} \frac{(x+1)-1}{x(\sqrt{x+1}+1)} = \lim_{x \rightarrow 0} \frac{1}{\sqrt{x+1}+1}$$

is true. The sentence states that two *numbers* are equal. When evaluating a limit $\lim_{x \rightarrow c} f(x)$, the function f may be replaced by *any* function that agrees with it, except possibly at c . Here, $c = 0$, and the two functions $\frac{(x+1)-1}{x(\sqrt{x+1}+1)}$ and $\frac{1}{\sqrt{x+1}+1}$ agree everywhere except at 0.

EXERCISE 7.

Direct substitution yields a $\frac{0}{0}$ situation. In order to get the function in a better form to see what's happening near $x = 0$, we rationalize the denominator:

$$\begin{aligned} \frac{3x}{\sqrt{x+4}-2} &= \frac{3x}{\sqrt{x+4}-2} \cdot \frac{\sqrt{x+4}+2}{\sqrt{x+4}+2} \\ &= \frac{3x(\sqrt{x+4}+2)}{(x+4)-4} \\ &\stackrel{\text{for } x \neq 0}{=} 3(\sqrt{x+4}+2) \end{aligned}$$

Then:

$$\begin{aligned} \lim_{x \rightarrow 0} \frac{3x}{\sqrt{x+4}-2} &= \lim_{x \rightarrow 0} 3(\sqrt{x+4}+2) \\ &= 3(\sqrt{0+4}+2) = 3(2+2) = 12 \end{aligned}$$

END-OF-SECTION EXERCISES:

1. SEN; FALSE. The sentence $\frac{x^3-1}{x-1} = x^2+x+1$ is NOT true for ALL real numbers x . (The expression on the right was obtained by long division.) When $x = 1$, the expression on the left is undefined, but the expression on the right equals 3.
2. SEN; TRUE
3. SEN; FALSE. The functions f and g have different domains, hence are different functions. The domain of f is all real numbers except 1. The domain of g is \mathbb{R} .
4. EXP
5. SEN; TRUE. The function $\frac{x^3-1}{x-1}$ has been replaced by a function that agrees with it everywhere except at $x = 1$.
6. SEN; TRUE
7. SEN; TRUE. (Either both limits do not exist; or they both exist, and are equal.)
8. SEN; CONDITIONAL. The truth of this sentence depends upon the choices made for the functions f and g .

9. Direct substitution yields a $\frac{0}{0}$ situation. Since -1 is a zero of the numerator, $x - (-1) = x + 1$ is a factor. Either use long division, or factor by grouping:

$$\begin{aligned}x^3 + x^2 - 3x - 3 &= x^2(x + 1) - 3(x + 1) \\ &= (x^2 - 3)(x + 1)\end{aligned}$$

Then:

$$\begin{aligned}\lim_{x \rightarrow -1} \frac{x^3 + x^2 - 3x - 3}{x + 1} &= \lim_{x \rightarrow -1} \frac{(x + 1)(x^2 - 3)}{x + 1} \\ &= \lim_{x \rightarrow -1} x^2 - 3 \\ &= (-1)^2 - 3 = -2\end{aligned}$$

10. The function in the limit is continuous at $x = 1$, so evaluation of the limit is as easy as direct substitution:

$$\lim_{x \rightarrow 1} \frac{x^3 + x^2 - 3x - 3}{x + 1} = \frac{1^3 + 1^2 - 3(1) - 3}{1 + 1} = \frac{-4}{2} = -2$$

11. The function in the limit is continuous at $x = 2$:

$$\lim_{x \rightarrow 2} \frac{x + 2}{x^2 + 4x + 4} = \frac{2 + 2}{2^2 + 4(2) + 4} = \frac{4}{16} = \frac{1}{4}$$

12. Direct substitution yields a $\frac{0}{0}$ situation.

$$\begin{aligned}\lim_{x \rightarrow -2} \frac{x + 2}{x^2 + 4x + 4} &= \lim_{x \rightarrow -2} \frac{x + 2}{(x + 2)^2} \\ &= \lim_{x \rightarrow -2} \frac{1}{x + 2}\end{aligned}$$

Since $\lim_{x \rightarrow -2} \frac{1}{x + 2}$ does not exist, neither does the original limit.

13. In the text, it was shown that

$$\lim_{x \rightarrow 0^+} (1 + x)^{1/x}$$

equals the irrational number e .

Thus, using the dummy variable t :

$$\lim_{t \rightarrow 0^+} (1 + t)^{1/t} = e$$

14. Using the dummy variable y :

$$\lim_{y \rightarrow 0^+} (1 + y)^{1/y} = e$$